
Pharmaship Documentation

Release 1.0

DSM

December 22, 2014

1	Installation steps	3
1.1	Software Requirement	3
1.2	Installation process	3
1.3	Just before starting	3
1.4	First launch	4
1.5	User Configuration	6
1.6	Ship configuration	6
1.7	Company logo	7
1.8	Trusted key & inventory	7
1.9	Dotation in force	9
2	Initial inventory	11
3	Search Panel	17
3.1	Description	17
3.2	Tips and tricks	18
4	Requisition	19
4.1	Requisition overview	19
4.2	New Requisition	19
4.3	Requisition Status	22
4.4	Update/Modify items	23
5	Common errors	25
5.1	Allowance importation	25
5.2	Printing issues	25
6	About the author	27
7	Indices and tables	29

PharmaShip is a project from [DSM](#) born from the lack of software to manage medicine spares, communication between ship and medical centers (CCMM ¹ in France) and requisitions.

PharmaShip is designed to:

- manage medicine inventory;
- manage medical material;
- import inventory (flag regulation);
- update stock according to the inventory by law;
- manage and edit medicine and material requisition;
- page of contact of *Purpan*.

In the next version, you will have also documentation and easy to use cheat sheet for medicines and materials.

Please, find below the user manual for this application:

¹ *Centre de Consultation Médical Maritime* is also called PURPAN. See dedicated chapter for more details.

Installation steps

1.1 Software Requirement

To install Pharmaship on your server you need :

- Python (v2.7)
- Django 1.7+
- MySQL server

For Windows users, you should install also:

- GnuPG for Windows
- GTK+ for Windows Runtime Environment

Regarding the last link, for a valid Weasyprint installation, make sure that *Set up PATH environment variable* is checked.

That's the only external application needed, the other one are dependencies and there installation will be described on the installation process.

1.2 Installation process

Once the requirements are satisfied, you have to download the extract the git from the repository to the folder of your choice. Please, be advised that it is the folder where you will store your application definitely.

Once done, with administrator/superuser privileges, run *python setup.py develop*. This will install all required dependencies.

1.3 Just before starting

In MySQL, you have to create a dedicated DataBase. To do so, follow the next steps in MySQL console:

```
> CREATE DATABASE pharmaship;  
> GRANT ALL PRIVILEGES ON pharmaship.* TO 'pharmaship'@'%' IDENTIFIED BY 'pharmaship';
```

That makes a DataBase called pharmaship and then a user with full access on it (password is also pharmaship, so you won't have to modify `~/conf/mysql.conf`, but you should personalised it for security reasons.

Now, you might go through a terminal to the location of your newly uncompressed *PharmaShip* application, and then launch:

```
> python manage.py migrate
> python manage.py createsuperuser
```

My advice is to give there a login as root, then a strong password (multiple characters, numbers, and special chars) in order to preserve your application in the future.

Then, in order to be allowed to change the language of the application, run:


```
> python manage.py collectstatic
> python manage.py compilemessages
```

And finally, to run *PharmaShip*, you have to launch (and make [CTRL]+c to stop it):


```
> python manage.py runserver
```

1.4 First launch

At that step, by entering <http://localhost:8000>, you should see the following window:



Where you have to enter your login created above and the password you choose. You should arrive on the first page, like that one:



On that page, you will find a lot of information. Let's make a round over there...

On top, you have a dark menu bar with from the left to the right the following items:

- The application logo, which bring you back to the home page.
- The main branches of the application:
 - Pharmaship,
 - Purchase,
 - Contact.
- Then, on the right side of that menu bar, you will find some icons:
 - A flag icon, to change the language interface. On that version, only French or English are available. To use it, just click on the language you want to use, it should change straight.
 - A settings icon, which is a link to the setting page. We will see the detail of all those pages later on, that one will be the first.
 - A user icon, with two fields : my account and administration.
 - A logout button, to disconnect from your session.

On the right menu bar, you will find:

- Medicine Inventory,
- Material Inventory,
- Requisition Overview,
- Emergency Contact button.


Main page is empty, but you might explore a little, we will continue with the initial configuration. So far, the application is also empty...

Let's go back to the top menu bar, on the right, you have the settings button. firstly note that on `user > administration` you might damage seriously the database, so please avoid to go there, or do it with an extreme caution.

1.5 User Configuration

By going to `user > my account`, you will open the settings view. You might also click on the configuration button to go there.

Fill the fields of medical responsible and click on “Update User Information”.



The screenshot shows a web browser window with the URL `localhost:8000/settings/`. The page has a dark top navigation bar with links for "Onboard Assistant", "Pharmaship", "Purchase", and "Contact". On the right of this bar are icons for a flag, settings, a user profile, and a power button. A left sidebar contains links for "Settings", "Inventory", and "Import". The main content area is titled "Settings" and features a "Medical Responsible" section. This section contains three input fields: "Last name" with the value "Jean", "First name" with the value "Dupond", and "Function" with a dropdown menu currently showing "Chief Officer". Below these fields is a blue button labeled "Update User Information".

1.6 Ship configuration

Once data are updated, you will find `Data updated` close to the button, in green. Taking the chance to be there, go down and fill the vessel particular fields.

The screenshot shows a web browser window with the URL `localhost:8000/settings/`. The application has a dark header bar with navigation links: 'Onboard Assistant', 'Pharmaship', 'Purchase', and 'Contact'. A left sidebar contains links for 'Settings', 'Inventory', and 'Import'. The main content area is titled 'Vessel Particulars' and contains a form with the following fields:

- Name:** M/V SAMPLE
- IMO:** 912 345 6
- Call Sign:** ABCD
- Sat phone:** +870 1 23 456 789
- Gsm phone:** +33 6 98 765 432
- Flag:** French
- Port of Registry:** Marseille
- Shipowner:** MBC Shipping
- MMSI:** 227 987 654
- Fax:** none
- Email:** master@sample.com

At the bottom of the form is a blue button labeled 'Update Vessel Information'.


1.7 Company logo

To display your company logo, change the image located in `common/compagnie.png` by your own company logo! But don't rename it. That's easy, isn't it ?


1.8 Trusted key & inventory

Then, you have to go to `import` page - on the left menu bar - in order to update the inventory you will need. In order to do so, first add the public key in order to allow the readings of the inventory file.


Once imported, you will find the following view:



Now you can add the first set of data you need to *PharmaShip* in the import data fieldset. You will have to wait a little:



And finally:




Please note that when you receive a new allowance file, it has to be loaded in order to keep your stock in accordance with regulation/company.


1.9 Dotation in force

Once this is done, you have to activate the imported allowance. To do so, using the left menu, go to `inventory` page. Once there, adapt the value of `Warning Delay for Expiration Dates` in number of days and click to `Update Pharmaship Settings`.

Then, on `Allowances` fieldset, you might see the dotation you import on the previous paragraph. Click on *enable* in order to enable it. This toggles the link to *disable* value, meaning you might disable it, if you click on it.



On the top bottom of that page, you have also to set the location where you can store medicines or medical material. Please, note in further development that if some articles in stock are stored on those location, they will be assign to Pharmaship, straight.




Initial inventory

In most of the case, you won't have wait this software does exist to start to manage you medicines... Unfortunately, to get *PharmaShip* working fine, you will have to initialize it with a full inventory of your stock.

Once you done every steps of Chapter 1, especially setting up all the locations where you store molecules and/or material, you should click on Pharmaship in the top bar menu.

There you will find a summary of your inventory according to the allowance(s) you enable previously.



As you figured out, all is empty, and you could even click on medicine in short supply to develop. But we will see this on a further chapter...

Instead of that, click on Medicine Inventory on the left menu bar, you will arrived on the following window:

The screenshot shows the Pharmaship web application interface. The top navigation bar includes 'Onboard Assistant', 'Pharmaship' (active), 'Purchase', and 'Contact'. The left sidebar has 'Medicine Inventory' (active), 'Material Inventory', and 'Requisition Overview'. A search bar at the top right says 'Search for an object.' with a 'Common Use' filter. Below the search bar is a table of medicines under the heading '1. Cardiology'.


Name	Form - Composition	Quantity	Requested	Expiration Date
Acide acétyl salicylique	Sachet 250 mg	0	0	
Amiodarone	Tablet 200 mg	0	0	
Aténolol	Tablet 50 mg	0	0	
Atropine	Ampoule 0.5 mg / 1 mL	0	0	
Enoxaparine sodique	Ampoule 6000 UI antiXa / 0.6 mL	0	0	
Épinéphrine	Ampoule 1 mg / 1 mL	0	0	
Flavonoïdes – Diosmine	Tablet 500 mg	0	0	
Furosémide	Ampoule 20 mg / 2 mL	0	0	
Isosorbide dinitrate	Tablet 20 mg LP	0	0	

You might now click on each molecule line (ie: Acide acétyl salicylique in order to develop it at to add medicines & remarks).


This screenshot shows the details for the 'Acide acétyl salicylique' medicine. The table from the previous screenshot is partially visible, with 'Acide acétyl salicylique' highlighted. Below the table, there is a section for 'Tags' with 'Common Use' selected, a 'Remarks' section with a checkbox, and a '+ Add a medicine' button. The rest of the table is visible below this section.

Name	Form - Composition	Quantity	Requested	Expiration Date
Acide acétyl salicylique	Sachet 250 mg	0	0	
Amiodarone	Tablet 200 mg	0	0	
Aténolol	Tablet 50 mg	0	0	
Atropine	Ampoule 0.5 mg / 1 mL	0	0	
Enoxaparine sodique	Ampoule 6000 UI antiXa / 0.6 mL	0	0	
Épinéphrine	Ampoule 1 mg / 1 mL	0	0	
Flavonoïdes – Diosmine	Tablet 500 mg	0	0	
Furosémide	Ampoule 20 mg / 2 mL	0	0	

- Click on Remarks to add any remark concerning that molecule, if any (then apply or discard your changes).



- Click on Add a medicine to add a new medicine to a molecule. Fill name, expiration date, shelf, composition & quantity, then validate.



You should then arrive on the inventory page like that one, we will see how to use those new three buttons that appeared on the right line of the new medicine, once we finished the inventory:

The screenshot shows the Pharmaship web application interface. The top navigation bar includes 'Onboard Assistant', 'Pharmaship', 'Purchase', and 'Contact'. The left sidebar contains 'Medicine Inventory', 'Material Inventory', and 'Requisition Overview'. The main content area is titled '1. Cardiology' and displays a table of medicines. The first medicine is 'Acide acétyl salicylique' (Aspégic 250) with a quantity of 60 and an expiration date of 03/08/2017. Below this, there is a 'Remarks' section and a table with columns 'Brand Name', 'Quantity', 'Expiration Date', and 'Location'. At the bottom, there is a '+ Add a medicine' button and a list of other medicines: 'Amiodarone', 'Aténolol', and 'Atropine'.

Name	Form - Composition	Quantity	Requested	Expiration Date
1. Cardiology				
Acide acétyl salicylique Aspégic 250	Sachet 250 mg	60	0	03/08/2017

Tags: **Common Use**


Remarks: L'acide acétylsalicylique, plus connu sous le nom d'aspirine, est la substance active de nombreux médicaments aux propriétés antalgiques, antipyrétiques et anti-inflammatoires. Il est aussi utilisé comme antiagrégant plaquettaire. Il s'agit d'un anti-inflammatoire non stéroïdien. C'est un acide faible, dont la base conjuguée est l'anion acétylsalicylate. C'est un des médicaments les plus consommés au monde. (source: wkpdia)

Brand Name	Quantity	Expiration Date	Location
Aspégic 250	60	03/08/2017	MED_lock > shelves_a

+ Add a medicine

Amiodarone	Tablet 200 mg	0	0
Aténolol	Tablet 50 mg	0	0
Atropine	Ampoule 0.5 mg / 1 mL	0	0

By Clicking on the arrow close to Add a medicine you might also Add an equivalent. The main difference, as shown below is the fact that you have to enter the exact molecule of this equivalent. An equivalent medicine might be as well the same molecule, but at an other composition.



By doing so, you will find a new line in your inventory - as shown in image below - with the equivalent added. But, there, please note that :

- there is a “non-conform!” label raised;
- in our example, composition is the non-valid part, so it appears in red;
- finally, as you may already have noticed, quantity in inventory (or inventory summary) did not updated as that medicine is not a valid one.

Medicine Inventory - Onb x

localhost:8000/pharmaship/medicine/

Onboard Assistant Pharmaship Purchase Contact

Medicine Inventory
Material Inventory
Requisition Overview

Print
Emergency

Name Form - Composition Quantity Requested Expiration Date

1. Cardiology

Acide acétyl salicylique
Aspégic 1000, Aspégic 250

Sachet 250 mg 60 0 19/04/2016

Tags: **Common Use**

Remarks: L'acide acétylsalicylique, plus connu sous le nom d'aspirine, est la substance active de nombreux médicaments aux propriétés antalgiques, antipyrétiques et anti-inflammatoires. Il est aussi utilisé comme antiagrégant plaquettaire. Il s'agit d'un anti-inflammatoire non stéroïdien. C'est un acide faible, dont la base conjuguée est l'anion acétylsalicylate. C'est un des médicaments les plus consommés au monde. (source: wkpdia)

Brand Name	Quantity	Expiration Date	Location
Aspégic 1000 (Sachet - 1000 mg)	30	19/04/2016	MED_lock > shelves_a
Aspégic 250	60	03/08/2017	MED_lock > shelves_a

Non-conform!


+ Add a medicine

Once this is done, you might continue filling all your inventory: medicines as well as materials.

Search Panel

3.1 Description


In the top of the window (*medicine inventory* or *material inventory*) you have the following window:



A horizontal search bar with a text input field on the left containing the placeholder text "Search for an object.". To the right of the input field are three buttons: "Common Use", a button with three horizontal lines (a toggle), and a button with a plus sign in a circle (a close button).

Inside, you can see 4 zones:

- Text field : where you may enter some letters of anything you are looking for. It can be either a medicine, either a molecule (in *medicine inventory*). Please note that as soon as you enter a letter in the search box, it starts to filter the view area with your criteria.
- Toggle button “Common use” : Shall you toggle this button, with the notation A from CCMM, you should only see the two following molecules :
 - Acide acétyl salicylique,
 - Paracétamol
- Simple button, with three horizontal lines: you will open the unpacked search box by clicking on.



The full search panel interface. It features a search bar at the top with the placeholder "Search for an object." and buttons for "Common Use", a toggle (three horizontal lines), and a close button (plus in a circle). Below the search bar are two filter sections. The first section is labeled "Filter by group:" and has a dropdown menu currently set to "All". The second section is labeled "Filter by location:" and also has a dropdown menu set to "All". At the bottom, there is a section labeled "Filter by allowance:" with three radio buttons: "All" (which is selected), "Hors notation", and "Notation A".

- Close button. This will reset all settings to default, and display all.

Once you clicked on the unpacked button, you can see the full search bar (see above picture) where:

- you can filter by group (depending of your notation),
- or by location.

However, if you want to use the third filter: “by allowance”, be sure to set it before any other search parameters. Otherwise you will have to enter again all your parameters, as this is an higher level filter.

3.2 Tips and tricks

Usage of this panel is the most intuitive one, ... once you know that trick: when unpacked, fill the fields from the bottom to the top!

At the time when those lines are written, it is not possible to search by name and with “Common Use”. The last one is selected at a time. So keep it in mind if you are making some combined searches.

Requisition


4.1 Requisition overview

That page opens an other Onboard Assistant module, the purchase one. In that module - so far - you can manage Pharmaship requisition(s) by creating, editing and deleting ones. Empty after the installation process, we will create our first requisition.

4.2 New Requisition

Once you complete your inventory, you should create your first requisition. That is an important point to fulfil the inventory before to prepare the first requisition, as we will use the “populate function”.

By clicking on the “new requisition” button, you will access to the following window:



Create a requisition ×

Name

My first requisition

Requested Date

10/12/2014

Port of Delivery

FRLEH

Item Type

Molecule ▼

☒ Populate automatically

Do not create Create this requisition

There, you have to fill the requisition name, the date where you want to receive your requisition as well as the port of delivery. There you can use as well a port code on 5 characters, or a full name of the port. There is no verification at that step (follow your company procedure).

Finally, choose the range of application of your requisition: molecule or equipment. And choose “Populate automatically”, in order for Pharmaship to find the molecule or the equipment missing in your stock inventory compared to the allowance needed by regulation.

Now, click on “create” and wait... as shown below, this will generate the requisition with all quantity missing in regard to your stock and expiry dates.

My first requisition 2014R-0001 Draft Inventory > Molecule

Items (103) Instructions

Item Description	Quantity	
Item Name	0	
Acétazolamide Dosage Form: Tablet - Composition: 250 mg	24	
Acétylcystéine Dosage Form: Sachet - Composition: 200 mg	30	
Aciclovir Dosage Form: Tablet - Composition: 200 mg	50	
Aciclovir Dosage Form: Tube pommade - Composition: 3% - 4.5g	1	

On that window, you can find:

- the requisition title,
- its reference code,
- the status of the requisition,
- and the type of requisition (there, it is molecule requisition).

Below, you have two tabs: items and instructions. Instructions is the tab where you might instruct your purchaser about what you are exactly asking for.

Then on items tab, you have a text-box where you can search or just add new items, quantity and then validate. It will be added at the end of your requisition.

Also, line by line, you can modify the quantity or delete the line. This is confirmed by a green tick, on the right side of the delete button as soon as you quit the quantity box.


Once your requisition is ready, you might go back to Requisition Overview, and you will find a short resume of your newly added requisition. In order to re-open it, just click on the eye.

Additional note: As you can see, there is a print button, allow you to print the requisition and when you receive it, to write on it the quantity of medicine received... (See below how to update your stock.)

4.3 Requisition Status

When you want to update the status of a requisition, you have to re-open it, then close to its reference, you might select the status you want to drop this requisition to.

On this button, you might click on the name (left side) what will show you that following screen, where you could change the requisition status.



Or you might click on the right side, where you can:

- change the status - same window as previously,
- change name of requisition,
- or delete the requisition.

The different status are:

- Draft - only for local requisition, when working on it.
- Pending approval - when draft is ready, but requisition is not yet approved. At that stage, it is still possible to re-edit it if needed.
- Approved - when approved, there is only the possibility to cancel it.
- Quoted - when you received the quotation.
- Ordered - when requisition has been ordered (quotation approved).
- Partially received - if you received only some parts from that requisition.
- Fully received - all is received.
- Cancelled - if you have to cancel the requisition after it has been approved (not to delete it).

Please note that on this version of Pharmaship, whatever is the status, there is no change in your inventory. In other terms, even if you mark a requisition as fully received, you still have to update manually your stock.

4.4 Update/Modify items

Once you print the requisition and inventoried what you received on board, you might change the status to “partially received” or “fully received” ; and then change the current page to “Medicine inventory” or “Material inventory”.

Open the molecule where you want to add a medicine. and on the right side, click on the middle button: “Edit this medicine”.


The screenshot shows a web application interface with a modal dialog titled "Update a medicine". The dialog contains the following information and controls:

- Title:** Update a medicine (with a close button 'x' in the top right corner).
- Message:** You are going to modify this medicine:
- Medicine Name:** Aspégic 1000 (displayed in a larger blue font).
- Expiration Date:** expiring 2016-04-19 (quantity in stock: 30).
- Form Fields:**
 - Name:** A text input field containing "Aspégic 1000".
 - Expiration Date:** A date input field containing "19/04/2016".
 - Location:** A dropdown menu showing "MED_lock > shelves_a".
 - Quantity in stock:** A text input field containing "30".
- Buttons:** At the bottom right, there are two buttons: "Do not modify" (light blue) and "Update this medicine" (dark blue).

There you can modify data from this medicine, as well as its quantity.

4.4.1 Consumption of items

In case that you have to consume some medicine, do not update the stock as above but click on the blue button instead of. That button called “use this medicine” will open the following sub window, where you just have to enter the number of medicine you used:



4.4.2 Remove items

The last icon there - the red one - is to delete completely the medicine. This should be done if the medicine is outdated for example.

At that stage, you are able to install Pharmaship, to set it up, to fill Pharmaship inventory and to make a requisition, and finally you know how to update your stock in the software database when you receive it.

The next chapter will show you how to add another allowance.

Common errors

This section will be completed with your questions and the answers / solutions we (or the other users) will provide. To contact developpement team, you can send a message directly on <https://github.com/tuxite/pharmaship>, or send an email to pharmaship@devmaretique.com.

5.1 Allowance importation

Q> Why doesn't importation of allowance work after installation?

A> Check if you already import the valid public key as explain in chapter 1.7.

5.2 Printing issues

Q> Why are generated PDFs unreadable - text are over-written?

A> You have to install DROID SANS font in order to correct that bug.

About the author

Matthieu MORIN, lead programmer of Pharmaship, is currently Dual Officer in the merchant navy. He graduated the STCW Master/ Chief Engineer unlimited diploma in France in 2012 and during his year of studies he created the DSM association with Hugues DESVAUX.

Based on their respective experiences on board as Deck and/or Engine Officers, they wanted to provide modern and efficient software solutions to main seafarer's issues on board.

In order to compete for the 2012 edition of the Seagital awards contest, DSM submitted various projects including OnBoard Assistant & Pharmaship. The goal of these two projects is to use/develop open source software to standardize daily work and duties on board under one common and ergonomic interface. Pharmaship, originally carried by DSM member Julien SCHEPERS, won the first prize of the 2012 edition of the Seagital Awards and was, afterwards, assigned to Matthieu for the development.

Combining his on board experience with the CCMM (French maritime medical center) advices, Matthieu used his knowledge about Linux environment and open source databases to create a fully functional and user friendly hospital management software.

After several trials and demonstrations, Pharmaship was unanimously appreciated by French Officers and CCMM doctors as an efficient alternative to existing Excel workbook to maintain hospital inventories.

PharmaShip is part of a larger project called Onboard Assistant. ([link for more details](#))

Indices and tables

- *genindex*
- *modindex*
- *search*